

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1626	cryptolop or (secure near content)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 10:07
L2	0	l1 and (access near trends)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 10:08
L3	247	l1 and (profil\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 10:08
L4	3	l3 and (predict near10 demand)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 10:10
L5	3	l3 and ((predict\$5 or estimat\$4 or calculat\$5) near10 demand)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 10:16
L6	34	l3 and (log\$5 near5 access) and (profiling) and advertisement	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 10:19
L7	31	l6 and database and authenticat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 10:20
L8	31	l7 and permission	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 10:20
L9	31	l8 and (distribut\$5 near5 content)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 10:36

L10	2	"5887243".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 10:38
L11	2	"6009410".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 10:38

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1626	cryptolop or (secure near content)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 10:07
L2	0	l1 and (access near trends)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 10:08
L3	247	l1 and (profil\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 10:08
L4	3	l3 and (predict near10 demand)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 10:10
L5	3	l3 and ((predict\$5 or estimat\$4 or calculat\$5) near10 demand)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 10:16
L6	34	l3 and (log\$5 near5 access) and (profiling) and advertisement	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 10:19
L7	31	l6 and database and authenticat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 10:20
L8	31	l7 and permission	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 10:20
L9	31	l8 and (distribut\$5 near5 content)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 10:36

L10	2	"5887243".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 10:38
L11	2	"6009410".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 10:38
S1	0	(content near10 (provider and distributor)) same client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 13:01
S2	697	(content near20 (provider and distribut\$3)) same client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/27 13:39
S3	77	((content near20 (provider and distribut\$3)) same client) and fee and ((encryption or decryption) near5 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/27 14:29
S4	1	"6016393".PN.	USPAT	OR	OFF	2004/09/27 14:18
S5	1	"5715403".PN.	USPAT	OR	OFF	2004/09/27 14:18
S6	1	"5638443".PN.	USPAT	OR	OFF	2004/09/27 14:19
S7	1	"5634012".PN.	USPAT	OR	OFF	2004/09/27 14:19
S8	1	"5603031".PN.	USPAT	OR	OFF	2004/09/27 14:20
S9	1	"5534975".PN.	USPAT	OR	OFF	2004/09/27 14:20
S10	37	((content near20 (provider and distribut\$3)) same client) and fee and ((encryption or decryption) near5 key)) and ((authenticat\$3 and distribut\$3) near15 request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 10:02
S11	6	(provid\$3 near5 content) same (predict\$3 near10 demand)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 10:38
S12	1	"6327622".PN.	USPAT	OR	OFF	2004/09/28 10:27
S13	1	"6324590".PN.	USPAT	OR	OFF	2004/09/28 10:28
S14	1	"6324580".PN.	USPAT	OR	OFF	2004/09/28 10:29
S15	1	"6256675".PN.	USPAT	OR	OFF	2004/09/28 10:29

S16	3	(request\$3 near5 content) same (predict\$3 near10 demand)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 12:56
S17	0	(frequently near10 (requested or demanded or asked)) same (acquir\$4 near10 content)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 13:05
S18	0	((most or frequent) near10 (request\$3 or demand\$3 or ask\$3)) same (acquir\$4 near10 content)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 13:07
S19	0	((future) near10 (request\$3 or demand\$3 or ask\$3)) same (acquir\$4 near10 content)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 13:06
S20	21839	((most or frequent) near10 (request\$3 or demand\$3 or ask\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 13:07
S21	870	((((most or frequent) near10 (request\$3 or demand\$3 or ask\$3))) and (content near10 (provider or distributor)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 13:08
S22	103	(((((most or frequent) near10 (request\$3 or demand\$3 or ask\$3))) and (content near10 (provider or distributor))) and (access near5 (history or log)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 15:29
S23	2	"6424718".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 15:31
S24	2	"6463454".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 16:35
S25	274	database same acl	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 16:28

S26	99	(database same acl) and (authenticat\$3 near10 (user or client))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 16:15
S27	4	(database same acl) and (authenticat\$3 near10 (user or client)) and (provid\$3 near10 (content or resource)) and (Fee or (billing near info))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 16:23
S28	5	(database same acl) and (authenticat\$3 near10 (user or client)) and (provid\$3 near10 (content or resource)) and (charg\$3 or (billing near info))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 16:24
S29	2	((database same acl) and (authenticat\$3 near10 (user or client)) and (provid\$3 near10 (content or resource)) and (charg\$3 or (billing near info))) not ((database same acl) and (authenticat\$3 near10 (user or client)) and (provid\$3 near10 (content or resource)) and (Fee or (billing near info)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 16:24
S30	39	(database same acl) and (encryption near key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 16:28
S31	38	((database same acl) and (encryption near key)) not (((database same acl) and (authenticat\$3 near10 (user or client)) and (provid\$3 near10 (content or resource)) and (charg\$3 or (billing near info))) and ((database same acl) and (authenticat\$3 near10 (user or client)) and (provid\$3 near10 (content or resource)) and (Fee or (billing near info))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 16:28
S32	2	"6170058".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 16:37
S33	11	(resource or content) and (licenc\$3 near5 charg\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 16:41

S34	0	(resource or content) and (licenc\$3 near5 charg\$3) and (acl)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 16:45
S35	0	(resource or content) and (licenc\$3 near5 (site or server)) and (acl)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 16:45
S36	56	(resource or content) and (licens\$3 near5 (site or server)) and (acl)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 17:26
S37	4	(licens\$3 near5 (site or server)) and (acl) and website	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 17:28
S38	40	isp and acl and license	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 17:29
S39	26	(isp and acl and license) and (authentikat\$3 near10 (users client))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 17:36
S40	28990	"705".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 17:36
S41	340	705/59.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 17:36
S42	3	705/59.ccls. and (authentikat\$3 near10 (user or client)) and "access control list"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 18:12
S43	0	713/193.pn. and (authentikat\$3 near10 (user or client)) and "access control list"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 18:13

S44	9	713/193.ccls. and (authenticat\$3 near10 (user or client)) and "access control list"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 09:58
S45	2	"5210795".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 09:59
S46	2	"5491752".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 10:00
S47	823	database same (access near5 permission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 10:01
S48	66	(database same (access near5 permission)) and (authenticat\$3 near server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 10:02
S49	14	((database same (access near5 permission)) and (authenticat\$3 near server)) and ((encrypt\$3 or decrypt\$3) near key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 10:07
S50	729	"authentication server" and ((encrypt\$3 or decrypt\$3) near key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 10:07
S51	409	("authentication server" and ((encrypt\$3 or decrypt\$3) near key)) and (request\$3 near5 (resource or service or content))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 10:13
S52	1	((("authentication server" and ((encrypt\$3 or decrypt\$3) near key)) and (request\$3 near5 (resource or service or content)))) and ("user name" same acl)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 10:09
S53	409	((("authentication server" and ((encrypt\$3 or decrypt\$3) near key)) and (request\$3 near5 (resource or service or content)))) and ((proxy or authentication or "access control") near server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 10:40

S54	10	((("authentication server" and ((encrypt\$3 or decrypt\$3) near key)) and (request\$3 near5 (resource or service or content))) and (("access control") near server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 10:17
S55	7	((("authentication server" and ((encrypt\$3 or decrypt\$3) near key)) and (request\$3 near5 (resource or service or content))) and (permission near server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 10:21
S56	7	((("authentication server" and ((encrypt\$3 or decrypt\$3) near key)) and (request\$3 near5 (resource or service or content))) and (credentials near server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 10:21
S57	30	((("authentication server" and ((encrypt\$3 or decrypt\$3) near key)) and (request\$3 near5 (resource or service or content))) and (authentication near server) and (payment near5 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 10:41
S58	1	"5948054".PN.	USPAT	OR	OFF	2004/09/29 11:58
S59	1	"5774660".PN.	USPAT	OR	OFF	2004/09/29 11:59
S60	1	"5765033".PN.	USPAT	OR	OFF	2004/09/29 11:59
S61	1	"5710887".PN.	USPAT	OR	OFF	2004/09/29 11:59
S62	2	"6088805".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 10:07
S63	2	"6757710".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 13:09
S64	2	"5710887".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 13:09
S65	100	(acl same database) and (encrypt\$3 or decrypt\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 13:30

S66	4	((acl same database) and (encrypt\$3 or decrypt\$3)) and (provider same (authenticat\$3 near10 (client or user)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 13:11
S67	25	(acl same database) and ((encrypt\$3 or decrypt\$3) near10 (message or content))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 13:31
S68	24	((acl same database) and ((encrypt\$3 or decrypt\$3) near10 (message or content))) not (((acl same database) and (encrypt\$3 or decrypt\$3)) and (provider same (authenticat\$3 near10 (client or user))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 13:25
S69	29	("access permission" same database) and ((encrypt\$3 or decrypt\$3) near10 (message or content))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 13:33
S70	29	((("access permission" same database) and ((encrypt\$3 or decrypt\$3) near10 (message or content))) not (((acl same database) and ((encrypt\$3 or decrypt\$3) near10 (message or content))) and (((acl same database) and ((encrypt\$3 or decrypt\$3) near10 (message or content))) not (((acl same database) and (encrypt\$3 or decrypt\$3)) and (provider same (authenticat\$3 near10 (client or user))))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 13:32
S71	4326	(access near5 control) and ((encrypt\$3 or decrypt\$3) near10 (message or content))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 13:34

S72	4307	((access near5 control) and ((encrypt\$3 or decrypt\$3) near10 (message or content))) not (((("access permission" same database) and ((encrypt\$3 or decrypt\$3) near10 (message or content))) not (((acl same database) and ((encrypt\$3 or decrypt\$3) near10 (message or content))) and (((acl same database) and ((encrypt\$3 or decrypt\$3) near10 (message or content))) not (((acl same database) and (encrypt\$3 or decrypt\$3)) and (provider same (authentikat\$3 near10 (client or user)))))))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 13:34
S73	404	((((access near5 control) and ((encrypt\$3 or decrypt\$3) near10 (message or content))) not (((("access permission" same database) and ((encrypt\$3 or decrypt\$3) near10 (message or content))) not (((acl same database) and ((encrypt\$3 or decrypt\$3) near10 (message or content))) and (((acl same database) and ((encrypt\$3 or decrypt\$3) near10 (message or content))) not (((acl same database) and (encrypt\$3 or decrypt\$3)) and (provider same (authentikat\$3 near10 (client or user))))))))) and (request\$3 near5 resource) and (authoriz\$3 near5 access)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 13:35

S74	22	(((((access near5 control) and ((encrypt\$3 or decrypt\$3) near10 (message or content))) not (((("access permission" same database) and ((encrypt\$3 or decrypt\$3) near10 (message or content))) not (((acl same database) and ((encrypt\$3 or decrypt\$3) near10 (message or content))) and (((acl same database) and ((encrypt\$3 or decrypt\$3) near10 (message or content))) not (((acl same database) and (encrypt\$3 or decrypt\$3)) and (provider same (authentica\$3 near10 (client or user))))))))) and (request\$3 near5 resource) and (authoriz\$3 near5 access)) and (receiv\$3 near5 ((decryption or encryption) near key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/29 13:36
S75	2	"6463454".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 09:44
S76	42104	distribut\$5 near15 content	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 09:45
S77	2	"6088805".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 09:48